

Message

---

**From:** Connolly, Scott [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=73851A5AC82A40A2BC62FA4B13F8F950-SCONNOLL]  
**Sent:** 6/25/2020 1:58:48 PM  
**To:** Sehgal, Ben@ARB [ben.sehgal@arb.ca.gov]  
**Subject:** RE: 95% building capture efficiency

Hi Ben,

I'm available during this time. Happy to discuss this issue with you.

Scott

---

**From:** Sehgal, Ben@ARB <ben.sehgal@arb.ca.gov>  
**Sent:** Thursday, June 25, 2020 6:16 AM  
**To:** Connolly, Scott <Connolly.Scott@epa.gov>  
**Subject:** RE: 95% building capture efficiency

Good morning Scott,

Are you available this afternoon say between 2PM and 4 PM to chat on this issue?

Perhaps 15 to 20 minutes. Thanks. We chat via Teams.

With sincere regards.

Ben Sehgal  
District Support Section  
California Air Resources Board  
916.229.0638



---

**From:** Sehgal, Ben@ARB  
**Sent:** Wednesday, June 24, 2020 4:15 PM  
**To:** Connolly, Scott <Connolly.Scott@epa.gov>  
**Subject:** 95% building capture efficiency

Hi Scott,

Hope you are doing well.  
Can I chat with you about capture efficiency?

**Ex. 7(A)**

With sincere regards.

Ben Sehgal  
District Support Section  
California Air Resources Board  
916.229.0638

<< OLE Object: Picture (Device Independent Bitmap) >>